

BIMPAIR

BIMPAIR offers innovative solutions for gas management (AIR, NITROGEN, CO2...) through TRANSPORTABLE AND REFILLABLE CARTRIDGES

» THE PERFECT SOLUTION TO ADJUST YOUR SUSPENSIONS PRESSURE!

USED IN COMPETITION, THE DIFFERENT SYSTEMS ARE DESIGNED TO BRING :



COMFORT,



PRECISION,



SPEED,



MOBILITY &



PERFORMANCE

SET YOUR PRESSURE WITH ACCURACY AND EASE IN ALL CONDITIONS

ANALOGICAL PRESSURE GAUGE

BAR/PSI DISPLAY

SCREW CONNECTOR OR WITH A NEEDLE



SEVERAL OPTIONS ARE AVAILABLE TO SUIT YOUR ACTIVITY AND NEEDS

ACCORDING TO YOUR GOALS AND FREQUENCY OF USE, FIND THEIR DESCRIPTIONS BELLOW

360°
ROTATIVE HOSE



SCHRADER
CONNEXION

INFLATING
BUTTON

DEFLATING
BUTTON

SAFETY
VALVE

LOAD
INDICATOR

FOR ANY TECHNICAL REQUEST, ADVICE OR INFORMATION, PLEASE CONTACT US

PFF

SAS PRODUCTION FUNCTIONAL FACTORY
280 RUE NICOLAS JOSEPH CUGNOT
ATELIER 4 - 34500 BÉZIERS - FRANCE

CONTACT@BIMPAIR.COM
+33 4 48 14 04 39
www.bimpair.com

BIMPAIR

> 1ST LEVEL OF EQUIPMENT - OPT FOR INNOVATION!

Acquire one cartridge and its pressure gauge with the formula

► **STARTER** / REF : BV-F1SUSP250

► **CAPS.250**
+
► **ANALOGICAL**
PRESSURE GAUGE



Two cartridges and a pressure gauge

► **DOUBLE** / REF : BV-F2SUSP250

► **CAPS.250 X2**
+
► **ANALOGICAL**
PRESSURE GAUGE



**FOR MORE
POTENTIAL**



THE BIMPAIR CARTRIDGE

FILLED WITH
**70 BARS
OF NITROGEN**
CONTAINS
17L

SCHRADER
CONNEXION

INFLATING
BUTTON

DEFLATING
BUTTON

SAFETY
VALVE

LOAD
INDICATOR

The **40 BARS** with double **BAR/PSI** DISPLAY pressure gauge accessory is perfect for a **PRECISE SETTING**

Screw connector or with a needle (provided)



TO REFILL

SEVERAL OPTIONS:

1 Send back the cartridges to **BIMPAIR** for a refill



Individual NITROGEN refills
BV-PPV250-AZ



Economical refills packages
REF : BV-10-PPV250-AZ

2 Or if you want to be more **AUTONOMOUS**

Buy a nitrogen transfer system
Look at the nitrogen pro pack & accessory



OPTIONS



You can buy one or several additional cartridges



Or a 90cm extension for more flexibility

BIMPAIR



> **AUTONOMY PACKS - BE INDEPENDENT!**

PRO PACKS CONTAIN TWO CARTRIDGES,
ANALOGICAL PRESSURE GAUGE

AND A REFILLING SYSTEM
FOR YOU TO BE FREE

PACK PRO **AIR**

With the **PACK PRO AIR**, refill your cartridges with compressed Air thanks to the **EWAY** charger.

Refill with 50 bars and 12L of compressed air within only 6 minutes
12V lighter socket or standard 220V plug

AUTOMATIC STOP ONCE THE CARTRIDGE REFILLED

PACK PRO **NITROGEN**

With the **PACK PRO NITROGEN**, refill your cartridges with Nitrogen thanks to the **gas transfer system** (fits standard nitrogen bottles)

The **transfer system** includes a pressure reducer from 200 to 70 bars to ensure a **quick and safe handling**

The cartridge up to 70 bars contain 17L of Nitrogen



REF : BV-PACKPROAT250-AI



REF : BV-PACKPROAT250-AZ

OPTIONS



You can add individual cartridges
to your chosen pack

As well as some accessories as the
90cm extension for more flexibility



BIMPAIR



> ADDITIONAL OPTIONS

FIND BELOW EVERY SEPARATED COMPONENT SOLD IN DETAIL
ADDITIONAL OPTIONS TO YOUR 1ST LEVEL OF EQUIPMENT



CAPS.250 REFILLABLE REF : BV-CAPS250

Same model, the cartridge is **REFILLABLE** with air or nitrogen by sending back to BIMPAIR or through one of the refilling systems presented



ANALOGICAL PRESSURE GAUGE REF : BV-ADSUSP

40 BARS double **BAR/PSI** display, to connect to the cartridge.
Screw connector or needle (provided)



EXTENSION - MF 90CM HIGH PRESSURE REF : BV-R90

SCHRADER connector, male/female
90cm extension to connect to the cartridge



E-WAY 12/220V ELECTRICAL CHARGER REF : BV-EWAY12-220-SC

Electrical charger for the BIMPAIR cartridges. High pressure miniaturized compressor with **12v** and **220V** plugs. Allows to refill within only a few minutes the cartridges with **50 bars** and **12L of compressed air**

Automatic stop once the cartridge refilled



NITROGEN TRANSFERT SYSTEM REF : BV-RPDETAZOTE

Exclusive Gas transfer system that fits standard nitrogen bottles to refill BIMPAIR cartridges. Includes a pressure reducer from **200 to 70 bars** to ensure a quick and safe handling and refill with **17L of Nitrogen**

FOR ANY TECHNICAL REQUEST, ADVICE OR INFORMATION, PLEASE CONTACT US



SAS PRODUCTION FUNCTIONAL FACTORY
280 RUE NICOLAS JOSEPH CUGNOT
ATELIER 4 - 34500 BÉZIERS - FRANCE



CONTACT@BIMPAIR.COM
+33 4 48 14 04 39
www.bimpair.com